

Subject Index (2007-2008)

Editorials

Editorial.

Makuuchi M
2007; 1(1):1.

Editorial.

Riggs AD
2007; 1(1):2.

Tribute to Promethean thinker — in memory of Susumu Ohno.

Rodin SN, Riggs AD
2008; 2(2):47-49.

News

Measles outbreak in Japan: Why now?

Masuno K, Kuroiwa C
2007; 1(1):3.

Dengue aggravation in developing countries in 2007.

Li X, Xu LZ
2007; 1(1):4.

An international effort to cure premature ageing.

Faragher R, Goto M
2007; 1(2):66-67.

Human cases of H5N1 avian influenza in indonesia: The need for international assistance.

Kakimoto K, Anggraeni A
2007; 1(2):68.

A more womb-like chip for IVF was born in Japan.

Xu HL, Inagaki Y
2007; 1(3):117-118.

Newly clarified target may shed light on the anti-viral treatment of hepatitis C.

Inagaki Y, Xu HL, Wang FS
2008; 2(1):1.

Work engagement: An emerging concept in occupational health psychology.

Shimazu A, Schaufeli WB
2008; 2(1):2.

Bangladesh: Surveying the post-Sidr situation.

Shahrook S, Kuroiwa C
2008; 2(1):3-4.

China makes impressive achievements in COPD therapy.

Li X
2008; 2(3):94-95.

Upon completing the 7th Sino-Japanese Symposium on Hepato-Pancreato-Biliary Disease.

Shimoda M
2008; 2(3):96.

A Symposium on International Health Policy and Medical Waste Management Research in Asian Region.

Nakamura H, Ali M, Shirayama Y, Kuroiwa C
2008; 2(4):133-134.

Asian pharmaceutical researchers gathered at Japan-China Joint Medical Workshop on Drug Discoveries and Therapeutics 2008.

Nakata M, Tang W
2008; 2(4):135-136.

2008 Beijing Symposium on a Hearing Screening Program for Neonates and Children: Perspectives on interdisciplinary and international collaboration.

Huang LH, Gai RY
2008; 2(6):216-217.

Commentaries

Perspectives on liver transplantation in the People's Republic of China.

Tamura S, Sugawara Y
2007; 1(1):5-6.

Risk of radiation exposure from genbaku and genpatsu: The 1945 atomic bombings and the 2007 Kashiwazaki nuclear power plant leak.

Kuroiwa C
2007; 1(2):69-71.

Dams causing algae-induced ill health and poverty? Stories from the Mekong.

Kuroiwa C
2007; 1(3):119-120.

Policy Forums

The reality of health information systems: Challenges for standardization.

Aiga H, Kuroiwa C, Takizawa I, Yamagata R
2008; 2(1):5-9.

Long live the health care system in Japan.

Idezuki Y
2008; 2(2):50-52.

Reviews

Epidemiologic impact of invasion and post-invasion conflict in Iraq.

Garfield R, Diaz J
2007; 1(1):10-15.

The enzymes in ubiquitin-like post-translational modifications.

Chen Y
2007; 1(1):16-25.

High-resolution mapping of copy number aberrations and identification of target genes in hepatocellular carcinoma.

Midorikawa Y, Tang W, Sugiyama Y
2007; 1(1):26-32.

Sociodemographic characteristics, sexual behavior, and HIV risks of rural-to-urban migrants in China.

He N
2007; 1(2):72-80.

Improving the quality of healthcare in Japan: A systematic review of procedural volume and outcome literature.

Miyata H, Motomura N, Kondo J, Takamoto S, Hasegawa T
2007; 1(2):81-89.

Dengue infection: A growing global health threat.

Hemungkorn M, Thisyakorn U, Thisyakorn C
2007; 1(2):90-96.

Measuring the economic and social consequences of CVDs and diabetes in India and Pakistan.

Govender VM, Ghaffar A, Nishtar S
2007; 1(3):121-127.

An overview of currently available anti-insulin-like growth factor I receptor antibodies.

Kusada Y, Fujita-Yamaguchi Y
2007; 1(3):128-133.

Des- γ -carboxyprothrombin: Clinical effectiveness and biochemical importance.

Inagaki Y, Tang W, Xu HL, Wang FS, Nakata M, Sugawara Y, Kokudo N
2008; 2(2):53-60.

Recent advances in the research of P-glycoprotein inhibitors.

Yang KH, Wu JF, Li X
2008; 2(4): 137-146.

Gene targeting using the human Nalm-6 pre-B cell line.

Adachi N, Nishijima H, Shibahara K
2008; 2(5):169-180.

Inflammaging (inflammation + aging): A driving force for human aging based on an evolutionarily antagonistic pleiotropy theory?

Goto M
2(6):218-230.

Brief Reports

Rapid progression of encephalopathy in a patient with hepatitis B infection.

Takemura N, Sugawara Y, Tamura S, Kakeno J, Matsui Y, Makuuchi M
2007; 1(1):7-9

Risk factors for injury in Pakistani children.

Singer MS, Ghaffar A
2008; 2(1):10-14.

Knowledge and practice of poultry handling and living environments of rural residents in China.

Gai RY, Wang XZ, Zhang YF, Xu LZ
2008; 2(2):61-63.

A rapid identification of *Radix inulae* and its active component alantolactone in the Tibetan medicine Manuxitang.

Tong L, Xu HL, Rezengcaidan, Wang YF, Li WY, Wang FS, Tang W
2008; 2(2):64-67.

Prevalence of HIV infection and HIV-related sex risk behaviors in men who have sex with men in Shandong Province, China.

Tao XR, Gai RY, Zhang XF, Zhang N, Zheng W, Xu AQ, Li SX
2008; 2(3):97-100.

Binding of pradimicin A derivative BMY-28864 to neoglycolipids bearing mannose residues at the non-reducing ends.

Xu HL, Wang FS, Mizuochi T, Nakata M
2008; 2(3):101-104.

Syndrome-causing mutations in Werner syndrome.

Goto M
2008; 2(4):147-150.

Appearance of high-molecular weight sialoglycoproteins recognized by *Maackia amurensis* leukoagglutinin in gastric cancer tissues: A case report using 2-DE-lectin binding analysis.

Inagaki Y, Usuda M, Xu HL, Wang FS, Cui SX, Mafune K, Sugawara Y, Kokudo N, Tang W, Nakata M
2008; 2(4):151-154.

The role of village doctors on tuberculosis control and the DOTS strategy in Shandong Province, China.

Gai RY, Xu LZ, Wang XZ, Liu ZM, Cheng J, Zhou CC, Liu JN, Zhang H, Li HJ, Kuroiwa C
2008; 2(5):181-186.

Adenovirus-mediated siRNA inhibited survivin gene expression induces tumor cell apoptosis in nude mice.

Yin K, Liu QQ, Zhu S, Yan G
2008; 2(6):231-234.

Original Articles

Household risk factors associated with dengue-like illness, Republic of Palau, 2000-2001.

Umezaki M, Sengebau-Kinzio MJ, Nakamura K, Ridep E, Watanabe M, Takano T
2007; 1(1):33-37.

Are health inequalities increasing in Japan? The trends of 1955 to 2000.

Fukuda Y, Nakao H, Yahata Y, Imai H
2007; 1(1):38-42.

Factors affecting routine immunization coverage among children aged 12-59 months in Lao PDR after regional polio eradication in Western Pacific Region.

Maekawa M, Douangmala S, Sakisaka K, Takahashi K, Phathamavong O, Xeuatvongsa A, Kuroiwa C
2007; 1(1):43-51.

Nucleotide sequence context influences HIV replication fidelity by modulating reverse transcriptase binding and product release.

Yamanaka R, Termini J
2007; 1(1):52-61.

Role of protocol ultrasonography for detecting biliary stricture in adult living donor liver transplantation recipients.

Que YH, Kaneko J, Sugawara Y, Tamura S, Makuuchi M
2007; 1(1):62-65.

Predicting factors for the experience of HIV testing among women who have given birth in Cambodia.

Kakimoto K, Sasaki Y, Kuroiwa C, Vong S, Kanal K
2007; 1(2):97-101.

Self-reported health: A study of older adults from a developing country – Nepal.

Chalise HN, Saito T, Kai I
2007; 1(2):102-107.

Construction of a recombinant single chain antibody recognizing nonreducing terminal mannose residues applicable to immunohistochemistry.

Yuasa N, Iida N, Sakaue H, Zhang W, Wilczynski S, Fujita-Yamaguchi Y
2007; 1(2):108-112.

The growth of *Vibrio vulnificus* and the habitat of infected patients in Kumamoto.

Inoue Y, Miyasaka J, Ono T, Ihn H
2007; 1(3):134-139.

Prevalence and determinants of obesity and dietary habits among adults in rural area, Chile.

Nozue M, Miyoshi M, Okumura J, Sanchez H, Andreu J, Kuroiwa C
2007; 1(3):140-148.

Factors associated with skills of health visitors in maternal-infant mental health in Japan.

Kamibeppu K, Nishigaki K, Yamashita H, Suzumiya H, Yoshida K
2007; 1(3):149-155.

Activation of the extracellular signal-regulated kinases signaling pathway in squamous cell carcinoma of the skin.

Zhang XY, Makino T, Muchemwa FC, Lin T, Wakasugi S, Egawa K, Ihn H
2007; 1(3):156-160.

Effect of vibration on skin blood flow in an *in vivo* microcirculatory model.

Nakagami G, Sanada H, Matsui N, Kitagawa A, Yokogawa H, Sekiya N, Ichioka S, Sugama J, Shibata M
2007; 1(3):161-166.

A social marketing approach to quality improvement in family planning services: a case study from Rawalpindi, Pakistan.

Gulzar J, Ali M, Kuroiwa C
2008; 2(1):15-21.

Cell growth of the mouse SDHC mutant cells was suppressed by apoptosis throughout mitochondrial pathway.

Miyazawa M, Ishii T, Kirinashizawa M, Yasuda K, Hino O, Hartman PS, Ishii N
2008; 2(1):22-30.

Multilevel modeling of geographically distributed vitamin A deficiency.

Agarwal GG, Khare S
2008; 2(1):31-35.

Validation and determination of the sensing area of the KINOTEX sensor as part of development of a new mattress with an interface pressure-sensing system.

Sakai K, Nakagami G, Matsui N, Sanada H, Kitagawa A, Tadaka E, Sugama J
2008; 2(1):36-43.

Fever of unknown origin: Revisit of 142 cases in a tertiary Chinese hospital.

Hu YK, Lu HZ, Zhang YZ, Jiang WM, Yin YK, Pan XZ, Weng XH
2008; 2(1):44-46.

Assessment of hepatitis B vaccine-induced seroprotection among children 5-10 years old in Ulaanbaatar, Mongolia.

Ochirbat T, Ali M, Pagbajab N, Erkhembaatar LO, Budbazar E, Sainkhoo N, Tudevdorj E, Kuroiwa C
2008; 2(2):68-74.

The Health Management Information System of Pakistan under devolution: health managers' perceptions.

Qazi MS, Ali M, Kuroiwa C
2008; 2(2):75-80.

Secular trends towards delayed onsets of pathologies and prolonged longevities in Japanese patients with Werner syndrome.

Goto M, Matsuura M
2008; 2(2):81-87.

Inhibition of survivin expression to induce the apoptosis of hepatocarcinoma cells by adenovirus-mediated siRNA.

Yan G, Duan RH, Yin K, Zhu S, Liu QQ, Gong MQ, Wang HW, Sun CH, Pu D, Tang N, Huang AL
2008; 2(2):88-93.

Risk of sharps exposure among health science students in northeast China.

Zhang Z, Moji K, Cai GX, Ikemoto J, Kuroiwa C
2008; 2(3):105-111.

UXO victims and health status of populations living in Xiengkhuang Province, Lao PDR: A household-based survey.

Phathamavong O, Boutta N, Xayamoungkhoun P, Kuroiwa C
2008; 2(3):112-116.

Effects of low-intensity resistance exercise with vascular occlusion on physical function in healthy elderly people.

Yokokawa Y, Hongo M, Urayama H, Nishimura T, Kai I
2008; 2(3):117-123.

Elevation of soluble Fas (APO-1, CD95) ligand in natural aging and Werner syndrome.

Goto M
2008; 2(3):124-127.

Discriminant analysis: A supportive tool for monogenoidean taxonomy.

Agrawal N, Agarwal GG, Tripathi P, Pant R
2008; 2(3):128-132.

Social work in international health and medical assistance.

Akashi R, Akashi H
2008; 2(4):155-163.

Quick detection of herpes viruses from skin vesicles and exudates without nucleic acid extraction using multiplex PCR.

Sakai K, Wakasugi S, Muchemwa FC, Ihn H
2008; 2(4):164-168.

Correlates of life satisfaction among older Nepalese adults living with a son.

Gautam R, Saito T, Kai I
2008; 2(5):187-192.

Prevalence and potential risk factors of rhinitis and atopic eczema among schoolchildren in Vientiane capital, Lao PDR: ISAAC questionnaire.

Phathamavong O, Ali M, Phengsavanh A, Xaysomphou D, Odajima H, Nishima S, Kuroiwa C
2008; 2(5):193-199.

Comparison of body fat mass changes during the third trimester and at one month postpartum between lactating and nonlactating Japanese women.

Ota E, Haruna M, Matsuzaki M, Honda Y, Sasaki S, Yeo S, Murashima S
2008; 2(5):200-205.

Overexpression of TIMP-2 mediated by recombinant adenovirus in rat abdominal aorta inhibits extracellular matrix degradation.

Zhao X, Li HL, Dong JH, Kokudo N, Tang W
2008; 2(5):206-210.

Audiological characteristics of infants with abnormal transient evoked otoacoustic emission and normal auditory brainstem response.

Huang LH, Han DM, Guo Y, Liu S, Cui XY, Mo LY, Qi B, Cai ZH, Liu H, En H, Guo LS
2008; 2(5):211-215.

Multilevel analysis of solar radiation and cancer mortality using ecological data in Japan.

Fukuda Y, Nakaya T, Nakao H, Yahata Y, Imai H
2008; 2(6):235-240.

Influence of selective brain cooling on the expression of ICAM-1 mRNA and infiltration of PMNLs and monocytes/macrophages in rats suffering from global brain ischemia/reperfusion injury.

Cao JP, Xu JG, Li WY, Liu J
2008; 2(6):241-244.

Construction of an adenovirus vector carrying the human tissue inhibitor of metalloproteinase 2 gene.

Zhao X, Li HL, Ji WB, Shi XJ, Dong JH
2008; 2(6):245-249.

Case Reports

Inflammatory pseudotumor of the spleen: clinical impact in surgical treatment.

Takamoto K, Midorikawa Y, Minagawa M, Makuuchi M
2007; 1(2):113-116.

Inflammatory myofibroblastic tumor of the pancreas – a case report.

Dulundu E, Sugawara Y, Makuuchi M
2007; 1(3):167-169.

Malignant mesothelioma associated with chronic empyema with elevation of serum CYFRA19: A case report.

Kodama Y, Hoshi S, Minami M, Kiso M, Takezawa T, Arai T, To Y, Teshima S, Suzuki N
2008; 2(6):250-254.